

FIG. 1




FIG. 2

VERSION <u>300</u>	USED TO IDENTIFY VERSION OF ENTIRE PRESENCE DOCUMENT AND/OR SINGLE PRESENCE TUPLE		
	<u>DOCUMENT LEVEL</u> VERSION PARAMETER PROVIDES VERSIONING SUPPORT ACROSS DIFFERENT APPLICATION PROTOCOLS <u>302</u>	<u>TUPLE LEVEL</u> VERSION PARAMETER PROVIDES INFORMATION TO WATCHER WHETHER OR NOT TUPLE IS TO BE UPDATED <u>304</u>	
ACTION <u>306</u>	USED INSIDE TUPLE TO INDICATE ACTION CLIENT SHOULD PERFORM ON PARTICULAR TUPLE		
	"REMOVED" <u>308</u>	"EMPTY" <u>310</u>	OTHERS <u>312</u>
MODE ATTRIBUTE <u>314</u>	USED IN DOCUMENT LEVEL TO INDICATE THAT THE NOTIFICATION IS AN UPDATE OR A COMPLETE PRESENCE STATE		

***FIG. 3***







FIG. 4




*FIG. 5*



**FIG. 6**



**FIG. 7**



*FIG. 8*

**FIG. 9**

